



User Guide

July 2021



Introduction

1	Introduction	.3
	1.1 General Information	
	1.2 Membership Screen	.3
2	Language Selection	.4
3	Document Upload Screen	.5
	3.1Student	.5
	3.2Academicians	.6
	3.3Report Screen	.7
4	Report Display Screen	.9



1 Introduction

1.1 General Information

Intihal.net is a plagiarism detection software that can be used online. If the institution is a member, you can easily become a member with the corporate e-mail address. If necessary, your institution representative can be contacted.

Similarity with a source does not mean that the work is plagiarism. Intihal.net program generally aims to find the same sentences (sentences with similarity) among documents. It is up to the academician's decision to determine whether the quotation in the work is plagiarism.

SIGN IN
E-mail address
Password
Remember me SIGN IN
I forgot my password!! Language options
Don't have an account? Register now.
register

1.2 Register

It is necessary to write your institutional email in the e-mail section of the member screen of intihal.net. If a personal e-mail is written, your approval process may be extended and intihal.net is not used in this process.

There are 3 types of account types available.

- 1. Academician
- 2. Student
- 3. Manager

An application is made to the library and documentation department for the administrator account. According to the membership conditions of the institution, an e-mail can be sent for approval after filling in the member information.



2 Language Selection

SIGN IN	İntiha frequ listed
	1. Tu
usun@bilkent.edu.tr	2. Eng
	3. Fre
Remember me SIGN IN	4. Spa
I forgot my password!! Language options	5. Ara
Don't have an account? Register now.	
register	

al.net can be used in 5 languages that are used ently in the world, especially Turkish. These are below in order.

- rkish glish ench anish
 - abic

You can change the interface language at any time.





3 Document Upload Screen

3.1 Student

Upload Document	
Title	Hood
Remove the References?	\bigcirc
Folder Code:	Folder Code SELECT

By clicking the Upload Document button, the document upload screen can be accessed. Although the entry in the title section is optional, the code of the folder created from the academician account must be entered in the folder code section.

New folder		×
Folder Name	Folder Name	
Starting date	dd/mm/yyyy	
End Date	01/01/2050	雦
If the Student Uploads Documents, Let Him See His Report		
	Cancel Create	

Folder Code is created by academics. While creating the folder code, options such as the name of the folder, the date range where the folder can be actively uploaded and the student can see the report of the uploaded document should be selected.



STUDENT	Upload Document
Upload Document My docs	Title Hood Remove the References?
	Folder Code: 2336 SELECT Academician Sabahattin Oluk Folder Name Thesis (01/08/2021)
	Drag and drop the document . Click to select the document .
	* Only files in the PDF, PPT, HTML, TEXT format are accepted.

As soon as the folder code is entered, the name of the folder and the information of the academician who owns the folder will be automatically brought to the system and displayed on the screen. As soon as the upload is done, the file folder code will be entered on the Shared with Me screen of the academician. The time the file is sent to the opposite server is related to your internet. After completing the submission, it will automatically return to the main screen.

3.2 Academicians

ACADEMICIAN	DOCUMENT LOAD	
Opload Document		
My docs	Title Title	
Shared With Me	Author Author	
	Remove the References?	
	Folder General •	
	Drag and drop the document . Click to select the document . []Submit	

By clicking the Upload Document button, the document upload screen can be accessed. In this screen, the title and author fields can be filled optionally. The user can perform a plagiarism test by selecting the file from the file path or by dragging and dropping the text. If the folder is not created, the folder part will always remain in 'Public'. The time the file is sent to the opposite server is related to your internet. After completing the submission, it will automatically return to the main screen.



MENOPOZAL KADINLARDA ÜRİNER İNKONTİNANS TİPİ VE ŞİDDETİNİN VAŞAM KALİTESİNE ETKİĞİ: SİSTEMATİK DERLEME ÖZET: Arnaç: Bu sistematik derleme, menopozal kadınlarda üriner inkontinansın yaşam kalitesine etkisini belirlemek amacıyla yapılmıştır. Yontem: Literatir taramaşı, 2009-2019 yılları arasında yıl sınırlaması yapılarık, "Utakimi Türk Tip Dizini, Türk Medilem, Schölar Google[®], "Türkiye AtıD Dizin", "YOK Tez" veri takınlarında yapılmıştır. Tarama 10 Marı - 15 Mayıs 2020 tariheti arasında gerçekkeştirilmiştir. Taramada, "Kifmakferlik dönem", "bemşirelik", "yaşam kalitesi" ve "türner inkontinans" anahtar sözükleri kullanılmıştır. Bu çalşınaya, menopozal dönemdeki kadınlara diriner inkontinansı tipi ve şiddetinin yaşam kalitesine etkisini belirlemeye yönelik yapılmış, makale çalışmaları dähil edilmiştir. Derleme, vaka çalşımaşın, olgu sununları, öçleği üriner inkontinansi lişki yaşam kalitesin değerlendirmeyen, yayın dili İngilize ve Türkçe dilleri dışında yapınlarınış makaleler ve kantı düzeyi düşük makaletle hariçı turlumyutur. Tarama Soncurda toşları 7050 çalışmışı, ulaşılmıştır. Calşınalara dörelen hariş turlumıştur. Tarama Soncurda toşları 7050 çalışmışı, görülmiştir, Calşınalara dörelə hariş turlumun en az 111 (Gönerey e verk, 2016), oltalma şiriner inkontinansını %2.13 ile Son asınışdı değiştiği iliniştir. Diriner inkontinans çeşirlerine bakışımının %2.13 ile Son asınışdı değiştiği iliniştir. Üriner inkontinans çeşirlerine bakışımışmış %1.1 ile %1.47.4 arışında değiştiği iliniştir. Biriner inkontinansış tiriner inkontinansının %3.1 ile %1.47.4 arışında değiştiği iliniştir. Biriner inkontinansış miştirine inkontinansının %3.1 ile %1.47.4 arışında değiştiği iliniştir. Biriner inkontinansış teriner inkontinansının %3.1 ile %1.47.4 arışında değiştiği iliniştir. Biriner inkontinansış maşını %2.6 ile %7.2.6 arışında değiştiği şuşuş turiner inkontinansının %3.1 ile %1.47.4 arışında değiştiği iliniştir. Biriner inkontinansış miş %2.6 ile %7.4.7 arışış deşiştiği iliniştiriştiri deşiştişiş üreşiş Report Display Screen in order for the report display screen to be active in the student account, the "Let the student view the report" option must be selected while creating the class.

3.3 Report Screen

How to Download Report ?	🔒 report	Processed Report	🖻 original document	× Close

🗳 intihal.net

MENOPOZAL KADINLARDA ÜRİNER İNKONTİNANS TİPİ VE ŞIDDETİNİN YAŞAM KALİTESİNE ETKİSİ SİSTEMATİK DERLEME

Yazar : Serap Kinci Sayfa Sayisi : 5 Kelime Sayisi : 1563 Karakter Sayisi : 13020

RIGINAL	REPORT				
		INTERNET RESOURCES	PUBLICATIONS	STUDENT ASS	GNMENTS
RIMARY	SOURCES				
1	Haliç Üniversites 49 yaş ve üzeri	ii - postmenopozal dönemdeki kadı	nların yaşam kalitesi		%4
2	Eskişehir Osmangazi Üniversitesi - Üriner inkontinansırı yaşam kalitesine etkisi, tedavi öncesi-sonrası dönemde objektif ve subjektif parametrelerin karşılaştırılması				
3		si Sağlık Bilimleri Dergisi - ansın 65 yaş ve üzeri kadınların y	yaşam kalitesi üzerine etk	isi	<%1
4	Trakya Üniversit 40 yaş üzeri ka üzerine etkisini	dınlarda üriner inkontinansın gör	rülme sıklığı ve yaşam kal	itesi	%2
5		cel Yaklaşımlar (Dergipark) - I İstismarı ve İhmali: Sistematik	Derleme		%2

The report button generates the short report as below with a list of places cited

If there are resources removed from the report screen, they will appear crossed out in the generated report. The similarity index does not include these sources that have been crossed out.

The Processed Report

shows where it is quoted, similar to the original report screen, by drawing.



The original of the loaded document can be accessed with the Original Document button.

		•	🕒 Summary Report	C
55%				Ê

The uploaded document can be added to the Repository or sent to the Institute.



The document uploaded to the repository can be removed from the repository by selecting the Remove from repository option.

(Documents added to the repository can only be removed by the institution administrator)

Rate	Status 🔶	Store 🔶	
55%	Cetailed Report	Remove from Repository	Summary Report €
77%	C Detailed Report	Not attached	BSummary Report
15%	Cetailed Report	Not attached	Summary Report

The Summary Report on the My Documents screen allows downloading a summary report with a single page QR code.





4 Report Display Screen

The quoted item is painted on the report display screen. The color to be painted is the same color as the source cited in the "Matching Results" section, which can be seen on the right. Thus, citations made in each other (mosaic plagiarism) are made easier for the user to view.

	Matching Results Clear Filters T
1/5	Similarity Rate: 21%
MENOPOZAL KADINLARDA ÜRINER İNKONTINANS TİPİ VE ŞİDDETİNİN YAŞAM KALİTESİNE ETKİSİ: SİSTEMATİK DERLEME ÖZET: Amaç: Bu sistematik derleme, menopozal kadınlarda üriner inkontinansın yaşam	One Contract of Marked Area Haic University - Quality of life of postmenopausal women aged 49 and over
kaliteisine etkisini belirlemek amacıyla yapılmıştır. Yörtlem: Literatür taraması, 2009-2019 yılları aşında yıl sımırdınama yapılarakı, "Üldakim Türk Tır Dizimi, Türk Medline, Scholar Google", "Türkiye Anf Dizini", "YÖK Tez" veri tabanlarında yapılmıştır. Tarama 10 Mart- 15 Mayıs 2020 tarihleri arasında gerekleşirilmiştir. Taramada, "Kümatkritik dönem", "hemşirelik", "yaşam kalitesi" ve "üriner inkontinansı tipi ve sidetinin yaşamı calışmaya, menopozul dönemdeki kadınılarda üriner inkontinansı tipi ve sidetinin yaşamı	2nd S S 64 Marked Area Eskisehir Osmangazi University - Effect of urinary incontinence on quality of life, comparison of
kalitesine etkisini belirferneye yönelik yapılmış, makale çalışmaları dähil edilmiştir. Derleme, vaka çalışmaları, olgu sunuruları, ölçeği üriner inkontinansla ilişkili yaşam kalitesini değerlendirmeyen, yayın dili higilizev ve Türkçe dilendi dışında yayınlanmış makaleler ve kanıt düzeyi düşük makaleler hariç tutulmuştur. Tarama sonucunda toplam 7050 çalışmaya ulaşılmıştır. Dähil etme/dışlama kriterleri döğrüfusunda yapılani elemeler konunda taraşırma kapsamına dört çalışma alınmıştır. Bulçuları: Sistematik derleneve dahil eleme çalışmaların	3 S K G Marked Area Inono University Journal of Health Sciences - The effect of urinary incontinence on the quality of life of women
tamam makale olup yayın yıllarına bakıldığında (2010, 2014, 2016) yıllarına air olduğu görülmüştür. Çalışmalarda örneklem sayısının en az 117 (Güvenç ve ark., 2016), en fazla 310 (Pökgöhar ve ark., 2014) olduğu sapanımıştır Sortuç; Çalışmalarda üriner inkontinanış genel prevelansının %2.73. ile 50 arasında değiştüği görülmektedir. Uriner inkontinanış çeşitlerine baktüğumızda, stres üriner inkontinanış %2.70. ile %3.93. arasında değiştüği görülmektedir.	4 Statuted Area University of Trakya - Determination of the incidence of urinary incontinence and its effect
inkontinansının %3.1 ile %47.14 arasında değiştiği, imik tip üriner inkontinansının %2.6 ile %72.6 arasında değiştiği saptanınştır. UI yaşam kalitesini olumsuz etkilediği görülmüştür. Yaşam kalitesinin UI tipi, şiddeti, miktan ile ilişkili olduğu görülmüştür.	5 % Karked Area Current Approaches in Psychiatry (Dergipark) -
Anahtar kelimeler: klimakterik dönem, yaşam kalitesi, üriner inkontinans	Elderly Abuse and Neglect in Turkey: A Systematic Review

Users can remove the paint from the painted parts of the report due to that source by clicking the "Remove" button next to the sources. They can also edit the Similarity Rate calculation. Every extracted resource can be added from the same place by pressing the add button. All of the pages displayed on the report screen also have page numbers.